



# THE HIGH VOLUME SOLUTION

MADE TO FIT YOUR NEEDS.

PREMIX, POSTMIX & DISPENSER



FRUIT, FAMILY AND NATURE. SINCE 1919.

# PREMIX / POSTMIX.

Whether Premix and ready to drink for more modest needs or Postmix fruit juice concentrate for higher volumes, RAUCH offers the right solution for you to serve fresh chilled fruit juices and ice tea in your establishment at any time.

## *Your benefits:*

- ✓ Cooled juices with consistently high product quality
- ✓ No loss, no leftovers
- ✓ Environmentally friendly, easy handling and storage
- ✓ Several juices simultaneously
- ✓ Fast and clean beverage dispensing
- ✓ Loaner units by arrangement
- ✓ Compliance with hygiene regulations

## *Your advantages:*

- ✓ Satisfied guests
- ✓ Happy employees
- ✓ Low investment costs



# FRESHNESS AT THE PUSH OF A BUTTON, SIMPLE AND RELIABLE.

RAUCH Premix dispensers are available as a two-chamber (for 2 flavours simultaneously) and as a three-chamber solution (for 3 flavours simultaneously) and contain up to 30 l of fruit juice.

Fruit juices are cooled in the dispenser and are available at all times. Operation is very easy for guests and service staff.

- ✓ With 2x10 l or 3x10 l
- ✓ Easy cleaning due to removable parts
- ✓ Temperature control as desired from 3° to 8°C
- ✓ Several juices simultaneously
- ✓ Loaner units available
- ✓ Juice always well-chilled

### *Very easy:*

1. Insert the bag-in-box carton
2. Put the hose into the outlet valve and cut off  
-> Done!




# HIGH DEMAND, HIGH PERFORMANCE.

**RAUCH Postmix dispenser for high fruit juice volumes with fast output. For breakfast dispensers and other dispensing systems. Simple and reliable.**

POSTMIX dispenser not only offer your customers enjoyable fruit juices and ice tea, but also save costs and are environmentally friendly.

The postmix fruit juice concentrate is first mixed with drinking water in the dispenser. This means that storage and transport costs are significantly reduced compared to ready-to-serve beverages. Instead of constant cooling for the entire amount of juice, the required amount is cooled only at the time of dispensing. This saves energy and protects the environment.

*Very easy:*



## Systems suitable for all needs:

- ✓ Flexible programming, various functions
- ✓ Dispenses fruit juices, ice tea and water as well.
- ✓ CO2 solution available
- ✓ Maximum flexibility in design and installation
- ✓ Carafe filling possible
- ✓ Low work effort
- ✓ Easy maintenance
- ✓ Perfect mixing result
- ✓ Compliance with hygiene standards





# LARGE PRODUCT SELECTION.

## The best juice in Bag-in-Box.

RAUCH offers for hotels and gastro customers the important flavours in 10l Bag-in-Box with the highest RAUCH quality - delicious juices and ice tea.

Only ripe and sorted fruites - produced from nature's fruits for human indulgence - are gentle processed for RAUCH Premix and Postmix products.

Guests enjoy fruity, natural and fresh juices or ice tea with the highest quality.



## The best selection :

- ✓ 100% Juice
- ✓ Nectar
- ✓ Drinks
- ✓ Ice Tea
- ✓ Organic Juices (Premix)



**RAUCH Premix or Postmix in 10l carton for easy handling and storage, saves space and makes the job easier.**

| Premix                                                                                             | Article No. | Product                                                                                                                                                                                        | BB [best before] | EAN           |
|----------------------------------------------------------------------------------------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------|
| <b>Dimensions carton</b><br>38.8x25.4x10.7 cm<br><br><b>Pallet</b><br>Bag per position<br>9x8 (72) | 3898        | RAUCH Apple 100%                                                                                              | 8 months         | 9008700122511 |
|                                                                                                    | 38848       | RAUCH Orange 100%                                                                                             | 8 months         | 9008700152693 |
|                                                                                                    | 38850       | RAUCH Multivitamin 100 %                                                                                      | 8 months         | 9008700152686 |
|                                                                                                    | 45046       | RAUCH Organic Apple 100 %    | 8 months         | 9008700178679 |
|                                                                                                    | 45047       | RAUCH Organic Orange 100 %   | 8 months         | 9008700178686 |
|                                                                                                    | 43454       | RAUCH Apple 50 %                                                                                                                                                                               | 8 months         | 9008700176477 |
|                                                                                                    | 2731        | RAUCH Orange 50 %                                                                                                                                                                              | 8 months         | 900870011881  |
|                                                                                                    | 2732        | RAUCH Multivitamin 50 %                                                                                                                                                                        | 8 months         | 900870011898  |
|                                                                                                    | 31148       | RAUCH Pink Grapefruit 50 %                                                                                                                                                                     | 8 months         | 9008700131490 |
|                                                                                                    | 43455       | RAUCH Peach 25%                                                                                                                                                                                | 8 months         | 9008700176484 |
|                                                                                                    | 44568       | RAUCH Apple 12%                                                                                                                                                                                | 8 months         | 9008700186339 |
|                                                                                                    | 44569       | RAUCH Orange 12%                                                                                                                                                                               | 8 months         | 9008700186322 |

| Postmix                                                                                             | Article No. | Product                                                                                               | Mixing Ratio | Yield | Brix ready-to-drink beverage | BB [best before] | EAN           |
|-----------------------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------------------------|--------------|-------|------------------------------|------------------|---------------|
| <b>Dimensions carton</b><br>27.5x22.0x19.3 cm<br><br><b>Pallet</b><br>Bag per position<br>5x14 (70) | 40117       | RAUCH Apple 100%   | 1+4,8        | 58l   | 11,4                         | 8 months         | 9008700155588 |
|                                                                                                     | 54942       | RAUCH Orange 100%  | 1+3,8        | 48l   | 11,2                         | 8 months         | 9008700180993 |
|                                                                                                     | 38152       | RAUCH Multivitamin 50%                                                                                | 1+4,4        | 54l   | 12,1                         | 8 months         | 9008700151894 |
|                                                                                                     | 38153       | RAUCH Orange 50%                                                                                      | 1+5,2        | 62l   | 10,6                         | 8 months         | 9008700151900 |
|                                                                                                     | 43061       | RAUCH Apple 50%                                                                                       | 1+5          | 60l   | 11,3                         | 8 months         | 9008700164313 |
|                                                                                                     | 44470       | RAUCH Blackcurrant 25%                                                                                | 1+4          | 50l   | 12,8                         | 10 months        | 9008700168366 |
|                                                                                                     | 54932       | RAUCH Elderflower 20%                                                                                 | 1+5          | 60l   | 11,2                         | 10 months        | 9008700180979 |
|                                                                                                     | 54936       | RAUCH Raspberry 12%                                                                                   | 1+6,1        | 71l   | 9,3                          | 10 months        | 9008700180986 |
|                                                                                                     | 42415       | RAUCH Orange 20%                                                                                      | 1+9          | 100l  | 5,3                          | 8 months         | 9008700163200 |
|                                                                                                     | 54878       | RAUCH Pineapple 20%                                                                                   | 1+9          | 100l  | 5,5                          | 10 months        | 9008700180962 |
|                                                                                                     | 43198       | RAUCH Fruitmix 12%                                                                                    | 1+9          | 100l  | 5,9                          | 10 months        | 9008700164375 |
|                                                                                                     | 43063       | RAUCH Pink Grapefruit 20%                                                                             | 1+9          | 100l  | 5,4                          | 10 months        | 9008700164351 |
|                                                                                                     | 44988       | RAUCH Apple 15%                                                                                       | 1+9          | 100l  | 5,6                          | 10 months        | 9008700178631 |
|                                                                                                     | 39811       | My Tea Peach                                                                                          | 1+9          | 100l  | 7,5                          | 8 months         | 9008700154888 |
|                                                                                                     | 45168       | My Tea Lemon                                                                                          | 1+9          | 100l  | 7,5                          | 8 months         | 9008700178754 |
|                                                                                                     | 60987       | My Tea Zero Peach                                                                                     | 1+9          | 100l  | /                            | 5 months         | 9008700183208 |
|                                                                                                     | 60988       | My Tea Zero Lemon                                                                                     | 1+9          | 100l  | /                            | 5 months         | 9008700183215 |



## Advantages Bag-in Box:

- ✓ Easy handling
- ✓ Optimized storage
- ✓ Less space
- ✓ Makes the job easier and saves money




# PREMIX DISPENSER BIB 210 G02 / BIB 310 G02.

Precise dosage with push buttons.



- ✓ Push button
- ✓ 2x10l or 3x10l
- ✓ Robust housing
- ✓ Digital temperature control
- ✓ Easy installation



| Type                    | BIB 210 G02 | BIB 310 G02 |
|-------------------------|-------------|-------------|
| Article no. Sale / Rent | 13290/12701 | 39575/38883 |
| Width                   | 360 mm      | 505 mm      |
| Height                  | 720 mm      | 720 mm      |
| Depth                   | 550 mm      | 550 mm      |
| Weight                  | 30 kg       | 45 kg       |
| Voltage                 | 230 V       | 230 V       |
| Max. power              | 140 W       | 140 W       |
| Varieties               | 2           | 3           |
| Juice quantity          | 2 x 10 l    | 3 x 10 l    |
| Temperature range       | 3 - 8 °C    | 3 - 8 °C    |

# PREMIX DISPENSER BIB 20 / BIB 30.

RAUCH Premix dispensers with tabs for easy use.



- ✓ With 2x10l or 3x10l
- ✓ Stainless steel elements
- ✓ Digital temperatur control
- ✓ 2 adjustable feet



| Type                    | BIB 20      | BIB 30      |
|-------------------------|-------------|-------------|
| Article no. Sale / Rent | 55246/55245 | 44700/44699 |
| Width                   | 375 mm      | 480 mm      |
| Height                  | 825 mm      | 825 mm      |
| Depth                   | 500 mm      | 500 mm      |
| Weight                  | 28 kg       | 29 kg       |
| Voltage                 | 230 V       | 230 V       |
| Max. power              | 70 W        | 80 W        |
| Varieties               | 2           | 3           |
| Juice quantity          | 2 x 10      | 13 x 10 l   |
| Temperature range       | 0 - 18 °C   | 0 - 18 °C   |



# POSTMIX DISPENSER JDM SLIM.

The JDM Slim is the tabletop solution for 2 or 4 beverage flavours; space-saving and flexible.

Pumps and cooling system are in the dispenser. The bag-in-box cartons are simply positioned underneath/behind, or even in the next room. The product flows through pipes into the dispenser.



The slim all-rounder, the table top solution for less consumption.

- ✓ Nice, elegant design
- ✓ Saves space
- ✓ For 2 or 4 flavours
- ✓ Juices fast and freshly mixed in the device
- ✓ CO2 option available

# POSTMIX DISPENSER JDM SLIM.

| Type                                           | JDM 2 slim       | JDM 4 slim       |
|------------------------------------------------|------------------|------------------|
| Article no. Sale / Rent                        | 47553/47554      | 48580/48581      |
| Width                                          | 260 mm           | 260 mm           |
| Height                                         | 360 mm           | 540 mm           |
| Depth                                          | 420 mm           | 420 mm           |
| Weight                                         | 25 kg            | 30 kg            |
| Water pressure                                 | min. 1,5 - 6 bar | min. 1,5 - 6 bar |
| Voltage                                        | 230 V / 50-60 Hz | 230 V / 50-60 Hz |
| Max. power                                     | 250W             | 250W             |
| FSS <sup>1</sup>                               | Yes              | Yes              |
| Preselection                                   | 1                | 0                |
| Product selection buttons (incl. water)        | 3                | 5                |
| ESI product labels <sup>2</sup>                | Yes              | Yes              |
| Product output LED-illuminated                 | Yes              | Yes              |
| Varieties                                      | 2                | 4                |
| Beverage supply in the device                  | 0                | 0                |
| Cooling capacity                               | 28 l / hour      | 28 l / hour      |
| Output height                                  | 160 mm           | 160 - 280 mm     |
| with CO2 carbonator                            | optional         | optional         |
| Output temperature                             | 5 °C             | 5 °C             |
| Coin validator / changer / cashless            | optional         | optional         |
| Accounting                                     | Yes              | Yes              |
| Parallel payment system                        | parallel/EXE     | parallel/EXE     |
| ETCS <sup>4</sup>                              | Yes              | Yes              |
| Concentrate Injection Valve (CIV) <sup>3</sup> | Yes              | Yes              |
| Syrup empty message                            | optional         | optional         |
| Cup sensor                                     | -                | optional         |
| Water gallon + pump                            | optional         | optional         |

1) FSS = Flood safety system: extra safety valve (water inlet) mixing result

2) ESI = Easy slide-in: product label insertion technology for very quick and easy label change

3) CIV = Concentrate Injection Valve: beverage concentrate injection valve for perfect mixing result

4) ETCS = Easy Tube Change System: easy replacement of hoses

# POSTMIX DISPENSER JDM CT-S4.



## Well-designed, elegant and timeless

The JDM CT is characterized by its sleek, simple design. The technique box with the concentrates is placed underneath/behind or in a room close by. This saves useful space on your buffet counter.

## Dispenser varieties for your demand

Different varieties of dispensers are available and can be offered according to the needs (4 or 6 flavours, different dispensing heights, wall mounting, etc.).

## Additional cooling

If additional cooling is required or the dispenser should be connected to an existing cooling or carbonisation system a special split dispenser is available.



Wall mounting  
without column



The L dispenser for  
carafe filling



The split system:  
To be used with existing  
cooling system

# POSTMIX DISPENSER

## JDM CT-S4.

### Dispensing unit.

| Type                                    | JDM CT-S4<br>Low column | JDM CT-L4<br>High column | JDM CT-S4 CO2<br>with CO <sub>2</sub> option |
|-----------------------------------------|-------------------------|--------------------------|----------------------------------------------|
| Article no. Sale / Rent                 | 47555/47556             | 47559/47560              | 48561/48562                                  |
| Control / output unit with column       |                         |                          |                                              |
| Width                                   | 210 mm                  | 210 mm                   | 210 mm                                       |
| Height                                  | 425 mm                  | 545 mm                   | 425 mm                                       |
| Depth                                   | 200 mm                  | 200 mm                   | 200 mm                                       |
| Ausgabehöhe                             | max. 190 mm             | 140 - max. 310 mm        | max. 190 mm                                  |
| Weight                                  | 8 kg                    | 9 kg                     | 8 kg                                         |
| Preselection                            | 1                       | 1                        | 1                                            |
| Product selection buttons (incl. water) | 5                       | 5                        | 5                                            |
| Automatic carafe preselection (extra)   | Yes                     | Yes                      | Yes                                          |
| ESI product labels <sup>2</sup>         | Yes                     | Yes                      | Yes                                          |

### Compact technical box/low space requirement in the base cabinet.

| Type                                               | JDM CT-S4        | JDM CT-L4        | JDM CT-S4 CO2    |
|----------------------------------------------------|------------------|------------------|------------------|
| Article no. Sale / Rent                            | 47555/47556      | 47559/47560      | 48561/48562      |
| Width                                              | 260 mm           | 260 mm           | 260 mm           |
| Height                                             | 360 mm           | 360 mm           | 360 mm           |
| Depth                                              | 460 mm           | 460 mm           | 460 mm           |
| Weight                                             | 26 kg            | 26 kg            | 30 kg            |
| Distance technical box / operating unit vertical   | max. 1,5 m       | max. 1,5 m       | max. 1,5 m       |
| Distance technical box / operating unit horizontal | max. 5,0 m       | max. 5,0 m       | max. 5,0 m       |
| Distance concentrate / technical box vertical      | max. 1,5 m       | max. 1,5 m       | max. 1,5 m       |
| Distance concentrate / technical box horizontal    | max. 1,5 m       | max. 1,5 m       | max. 5,0 m       |
| Cooling capacity                                   | 28 l / hour      | 28 l / hour      | 28 l / hour      |
| Output temperature                                 | 5 °C             | 5 °C             | 5 °C             |
| Water pressure                                     | min. 1,5 - 6 bar | min. 1,5 - 6 bar | min. 1,5 - 6 bar |
| Voltage                                            | 230 V / 50-60 Hz | 230 V / 50-60 Hz | 230 V / 50-60 Hz |
| Max. power                                         | 250W             | 250W             | 320W             |
| with CO2 carbonator                                | -                | -                | Yes              |
| FSS <sup>1</sup>                                   | Yes              | Yes              | Yes              |
| Flow meter (water)                                 | Yes              | Yes              | Yes              |
| Product output LED-illuminated                     | Yes              | Yes              | Yes              |
| Münzprüfer-/wechsler/cashless                      | optional         | optional         | optional         |
| Accounting                                         | Yes              | Yes              | Yes              |
| Parallel payment system                            | parallel/EXE     | parallel/EXE     | parallel/EXE     |
| Concentrate Injection Valve (CIV) <sup>3</sup>     | Yes              | Yes              | Yes              |
| Water container + pump                             | optional         | optional         | optional         |
| Monitoring of disinfection and sanitation interval | Yes              | Yes              | Yes              |

1) FSS = Flood safety system: extra safety valve (water inlet) mixing result

2) ESI = Easy slide-in: product label insertion technology for very quick and easy label change

3) CIV = Concentrate Injection Valve: beverage concentrate injection valve for perfect mixing result

4) ETCS = Easy Tube Change System: easy replacement of hoses



# POSTMIX DISPENSER JUICI CT.

### Digitization and modern design.

In addition to the capabilities of the JDM CT, the Juici models provide the solution to the challenge of digitization. Remote control, WIFI/network connection, consumption analysis are only three of many possibilities.

The touch screen display allows for customization.



- ✓ For up to 6 flavours
- ✓ Videos, pictures or commercials on display possible
- ✓ Remote service
- ✓ WLAN/Network connection
- ✓ Reliable and made to last
- ✓ Simple and self explaining usage



Established technique, reliable  
components

# POSTMIX DISPENSER JUICI CT.

## Dispensing unit.

| Type                                    | Juici CT-S4<br>Low column | Juici CT-L4<br>High column | Juici CT-S4 CO2<br>mit CO <sub>2</sub> option |
|-----------------------------------------|---------------------------|----------------------------|-----------------------------------------------|
| Article no. Sale / Rent                 | 56565/56566               | 57428/57427                | 57216/57215                                   |
| Control / output unit with column       |                           |                            |                                               |
| TFT-Touchdisplay                        | Yes                       | Yes                        | Yes                                           |
| Width                                   | 276 mm                    | 276 mm                     | 276 mm                                        |
| Height                                  | 405 mm                    | 525 mm                     | 405 mm                                        |
| Depth                                   | 175 mm                    | 175 mm                     | 175 mm                                        |
| Output                                  | max. 190 mm               | 140 - 310 mm               | max. 190 mm                                   |
| Weight                                  | 8 kg                      | 9 kg                       | 8 kg                                          |
| Preselection                            | 1                         | 1                          | 1                                             |
| Product selection buttons (incl. water) | 5                         | 5                          | 5                                             |
| Automatic carafe preselection (extra)   | in planning               | in planning                | in planning                                   |
| ESI product labels <sup>2</sup>         | Yes                       | Yes                        | Yes                                           |
| Varieties                               | 4                         | 4                          | 4                                             |

## Compact technical box/low space requirement in the base cabinet.

| Type                                               | Juici CT-S4      | Juici CT-L4      | Juici CT-S4 CO2  |
|----------------------------------------------------|------------------|------------------|------------------|
| Article no. Sale / Rent                            | 47555/47556      | 57428/57427      | 48561/48562      |
| Width                                              | 260 mm           | 260 mm           | 260 mm           |
| Height                                             | 360 mm           | 360 mm           | 360 mm           |
| Depth                                              | 460 mm           | 460 mm           | 460 mm           |
| Weight                                             | 26 kg            | 26 kg            | 30 kg            |
| Distance technical box / operating unit vertical   | max. 1,5 m       | max. 1,5 m       | max. 1,5 m       |
| Distance technical box / operating unit horizontal | max. 5,0 m       | max. 5,0 m       | max. 5,0 m       |
| Distance concentrate / technical box vertical      | max. 1,5 m       | max. 1,5 m       | max. 1,5 m       |
| Distance concentrate / technical box horizontal    | max. 5,0 m       | max. 5,0 m       | max. 5,0 m       |
| Cooling capacity                                   | 28 l / hour      | 28 l / hour      | 28 l / hour      |
| Output temperature                                 | 5 °C             | 5 °C             | 5 °C             |
| Water pressure                                     | min. 1,5 - 6 bar | min. 1,5 - 6 bar | min. 1,5 - 6 bar |
| Voltage                                            | 230 V / 50-60 Hz | 230 V / 50-60 Hz | 230 V / 50-60 Hz |
| Max. power                                         | 250W             | 250W             | 320W             |
| with CO2 carbonator                                | -                | -                | Yes              |
| FSS <sup>1</sup>                                   | Yes              | Yes              | Yes              |
| Flow meter (water)                                 | Yes              | Yes              | Yes              |
| Product output LED-illuminated                     | Yes              | Yes              | Yes              |
| Coin validator / changer / cashless                | optional         | optional         | optional         |
| Accounting                                         | Yes              | Yes              | Yes              |
| Parallel payment system                            | parallel/EXE     | parallel/EXE     | parallel/EXE     |
| Concentrate Injection Valve (CIV) <sup>3</sup>     | Yes              | Yes              | Yes              |
| Water container + pump                             | optional         | optional         | optional         |
| Monitoring of disinfection and sanitation interval | Yes              | Yes              | Yes              |

1) FSS = Flood safety system: extra safety valve (water inlet) mixing result

2) ESI = Easy slide-in: product label insertion technology for very quick and easy label change

3) CIV = Concentrate Injection Valve: beverage concentrate injection valve for perfect mixing result

4) ETCS = Easy Tube Change System: easy replacement of hoses